

1 said front edge for utilization and sized in one dimension at about 27 inches to receive both a
2 (104) key keyboard and an adjacent mouse pad;

3 the underside of said work surface having a control switch electrically connected to a
4 surge protector unit having a plurality of electrical outlets therein for said switch to electrically
5 activate or deactivate the surge protector, said surge protector having a line cord and plug
6 thereon; and

7 said work surface having an aperture therethrough near the 90° angle at the rear corner
8 thereof,

9 further including adjacent furniture components on at least one side of said corner section,
10 wherein such adjacent furniture components have a front edge parallel to a back edge, a side edge
11 normal to said front and rear edge, and an oblique edge at a 45° angle to said front edge thereof,
12 said component when in position abutting said corner section, having its oblique edge
13 intersecting the front edge of said corner section at a 90° angle;

14 wherein the extension of each of the respective side edges of said corner desk section is
15 dimensionally smaller than the extension of the respective side edge of any adjacent furniture
16 component that is the distant side edge from the said corner desk and is not the side edge that
17 abuts the front edge of said corner desk.

18 Please enter amended claim 26 as follows,

19 26. An advanced computer corner desk comprising a pentagonal work surface having a top
20 side and an underside,

21 said work surface having a front edge and two side edges, each on the opposite ends of
22 the front edge and each disposed at a 45° angle to said front edge and having two rear edges
23 which meet at a 90° angle, the extension of the side edges being less than the extension of the
24 rear edges;

25 a keyboard platform mounted beneath said front edge and which infinitely adjusts up and
26 down and tilts to a negative or positive position and which keyboard is sized in one dimension
27 at about 27 inches to receive both a (104) key keyboard and an adjacent mouse pad; and

28 wherein the side edges of said desk section range in extension from a front side from
29 about 14 to 16 inches to said rear edges,

30 including adjacent furniture components on at least one side of said corner section,
31 wherein such adjacent furniture components have a front edge parallel to a back edge, a side edge
32 normal to said front and rear edges, and an oblique edge at a 45° angle to said front edge thereof,
33 said component when in position abutting said corner section and said component having its

1 oblique edge intersecting the front edge of said corner section at a 90° angle,
2 ^{B3} and wherein the extension of the respective side edges of said corner desk section is
3 ^{com x} dimensionally smaller than the extension of the respective side edge of any adjacent furniture
4 component that may be used therewith, which prospective side edge would be the distant side
5 edge of such furniture component from the side of said corner desk section, and would not be the
6 side edge that would abut the front of said corner desk.

7 Please enter amended claim 29 as follows,

8 29. An advanced computer desk comprising a corner section comprising a pentagonal work
9 surface having a top side and an underside with a front edge and two side edges, each on the
10 ^{B4} opposite ends of the front edge disposed at a 45° angle to said front edge and two rear edges
11 which meet at a 90° angle, the extension of the side edges being less than the extension of the
12 rear edges;

13 a keyboard platform mounted beneath said front edge and which infinitely adjusts up and
14 down and tilts to a negative or positive position and sized in one dimension at about 22 inches,
15 the underside of said work surface having a control switch electrically connected to a surge
16 protector unit having a plurality of electrical outlets therein, for said switch to electrically activate
17 or deactivate the surge protector, said surge protector having a line cord and plug thereon; and
18 said work surface being adapted for support by adjacent furniture components, and a pair of
19 adjacent furniture components, one on each side of said work surface, and

20 wherein the extension of each of the respective side edges of said corner section is
21 dimensionally smaller than the extension of the respective side edge of any adjacent furniture
22 component used therewith that is the distant side edge from the said corner desk and is not the
23 side edge that abuts the front edge of said corner desk.

24 Please the change the dependency of claims 17 and 18 from claim 9 to new claim 31.

25 Please cancel and replace dependent claim 9 with new independent new claim 31 as
26 follows,

27 31 An advanced computer corner desk comprising:

28 a corner section comprising a pentagonal work surface having a top side and an underside
29 ^{B5} with a front edge and two sides edges, each on the opposite ends of the front edge, disposed at
30 a 45° angle to said front edge and two rear edges, which meet at a 90 degree angle;

31 a keyboard platform mounted beneath said front edge of said corner section,

32 and a "return" attached thereto on at least one side of the corner section, said return being
33 designated an adjacent furniture component, and which return comprises a shelf supported on

1 a pedestal,

2 wherein the extension of each of the respective side edges of said corner desk section is
3 dimensionally smaller than the extension of the respective return's side edge, that is the distant
4 side edge of said return from said corner section, and is not the side edge of the return that abuts
5 the front edge of said corner section.

6 Please add new claims as follows:

7 Please add new claim 32 as follows,

8 32. The corner desk of claim 31, wherein a return is attached to each of the two sides of the
9 corner desk section.

10 Please add new claim 33 as follows,

11 33. The corner desk of claim 31, wherein the keyboard platform mounted beneath the front
12 edge of the corner section infinitely adjusts up and down and tilts to a negative or positive
13 position and sized in one dimension at about 27 inches to receive both a (104) key keyboard and
14 an adjacent mouse pad; and

15 the underside of said work surface has a control switch electrically connected to a surge
16 protector unit having a plurality of electrical outlets therein, for said switch to electrically activate
17 or deactivate the surge protector, said surge protector having a line cord and plug thereon.

18 Please change the dependency of claims 23,24 and 25 from claim 22 to claim 34.

19 Please cancel claim 22 and replace it with new claim 34 as follows,

20 34. An advanced computer corner desk comprising:

21 a corner section comprising a pentagonal work surface having a top side and an underside
22 with a front edge, two side edges in which each one of the side edges is on the opposite end of
23 the front edge, and is disposed at a 45° angle to said front edge, and two rear edges, which meet
24 at a 90° angle, the extension of the side edges being less than the extension of the rear edges;

25 a keyboard platform mounted beneath said front edge, and which moves outwardly from
26 said front edge for utilization;

27 an adjacent furniture component disposed adjacent to each side of the corner section,
28 and attached thereto;

29 wherein each such furniture component has a front edge parallel to a back edge, a distant
30 side edge normal to said front and rear edge, and an oblique edge at a 45° angle to both said
31 front edge thereof and to a proximal side edge, said component when in position abutting said
32 corner section with the oblique edge of the return intersecting the front edge of said corner
33 section at 90 degrees;

1 and further wherein the extension of each of the respective side edges of said corner desk
2 section is dimensionally smaller than the extension of the respective return's distant side edge.

3 Please add new claim 35, as follows,

4 35. The corner desk of claim 34, wherein the underside of said work surface has a control
5 switch electrically connected to a surge protector unit having a plurality of electrical outlets
6 therein;

7 said work surface having an aperture there through near the 90° angle at the rear corner
8 thereof with a grommet disposed in said aperture.

9 Please change the dependency of claims 3,4, and 6 from claim 1 to claim 36.

10 Please cancel and replace claim 27 with new claim 36 as follows,

11 36. The corner computer desk of claim 26, including adjacent furniture components on at
12 least one side of said corner section, and wherein said corner section includes a pedestal mounted
13 to the underside of the work surface.

14 Please replace claim 10 with new claim 37 as follows,

15 37. The corner desk of claim 36, wherein one of said adjacent furniture components
16 comprises a set of drawers.

17 Please add new claim 38 as follows,

18 38. The advanced corner computer desk of claim 34, wherein such adjacent furniture
19 component comprises a return having a pedestal and a shelf, said shelf having a front edge.

20 Please add new claim 39 as follows,

21 39. The advanced corner computer desk of claim 34, wherein each adjacent furniture
22 component is selected from the group consisting of bookcases and cabinets.